

| | | | | | |
|---|--|--|--|-------------------------------|--------------------------|
| FORM PTO-1449 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO. SHAI-2 | SERIAL NO. 09/367,714 |
| LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT: SHAI et al. | |
| | | | | 1653 | |
| | | | | FILING DATE: January 14, 2000 | GROUP: none |
| EXAMINER INITIALS | OTHER DOCUMENTS (include at least document number, publication date and country) | | | | |
| DL | AA | WADE et al., "Antibacterial peptides designed as analogs or hybrids of cecropins and melittin", <u>Int. J. Peptides Res.</u> , vol.40, pp.429-436, (1992) | | | |
| | AB | BOMAN et al., "Antibacterial and antimalarial properties of peptides that are cecropin-melittin hybrids", <u>FEBS Letters</u> , vol.259, no.1, pp.103-106, (1989) | | | |
| | AC | RAPAPORT et al., "pH- and Ionic Strength-Dependent Fusion of Phospholipid Vesicles Induced by Pardaxin Analogues or by Mixture of Charge-Reversed Peptides", <u>Biochemistry</u> , vol.32, pp.3291-3297, (1993) | | | |
| | AD | POUNY et al., "Interaction of D-Amino Acid Incorporated Analogues of Pardaxin with Membranes", <u>Biochemistry</u> , vol. 31, pp.9482-9489, (1992) | | | |
| | AE | SHAI et al., "Diastereomers of Cytolysins, a Novel Class of Potent Antibacterial Peptides", <u>The Journal of Biological Chemistry</u> , vol.271, no.13, pp.7305-7308, (1996) | | | |
| | AF | AGAWA et al., "Interaction with Phospholipid Bilayers, Ion Channel Formation, and Antimicrobial Activity of Basic Amphipathic α -Helical Model Peptides of Various Chain Lengths" <u>The Journal of Biological Chemistry</u> , vol.266, no.30, pp.20218-20222, (1991) | | | |
| | AG | ALTENBACH et al., "The Aggregation State of Spin-Labeled Melittin in Solution and Bound to Phospholipid Membranes: Evidence That Membrane-Bound Melittin Is Monomeric", <u>PROTEINS: Structure, Function and Genetics</u> , vol.3, pp.230-242, (1988) | | | |
| | AH | ANDERSON et al., "Melittin Forms Crystals Which are Suitable for High Resolution X-ray Structural Analysis and Which Reveal a Molecular 2-Fold Axis of Symmetry", <u>The Journal of Biological Chemistry</u> , vol.255, no.6, pp.2578-2582, (1990) | | | |
| DL | AI | ANZAI et al., "Formation of Ion Channels in Planar lipid bilayer membranes by synthetic basic peptides", <u>Biochem. Biophys. Acta</u> , vol.1064, pp.256-266, (1991) | | | |
| | AJ | BARTLETT, "Phosphorus Assay in Column Chromatography", <u>J. Biol. Chem.</u> , vol.234, pp.466-468, (1959) | | | |
| | AK | BATENBURG et al., "Lipid specific penetration of melittin into phospholipid model membrane", <u>Biochem. biophys. Acta</u> , vol.903, pp.155-165, (1987) | | | |
| | AL | BATENBURG et al., "Melittin-Induced Changes of the Macroscopic Structure of Phosphatidylethanolamines", <u>Biochemistry</u> , vol.27, pp.2324-2331, (1988) | | | |
| | AM | BATENBURG et al., "Interaction of melittin with negatively charged phospholipids: consequences for lipid organization", <u>FEBS Letters</u> , vol.223, no.1, pp.148-154, (1987) | | | |
| | AN | BAZZO et al., "The structure of melittin A $^1\text{H-NMR}$ study in methanol", <u>Eur. J. Biochem.</u> , vol.173, no.139-146, (1988) | | | |
| | AO | BENKRANE et al., "Antigenicity and Immunogenicity of Modified Synthetic Peptides Containing D-Amino Acid Residues", <u>The Journal of Biological Chemistry</u> , vol.268, no.35, pp.26279-26285, (1993) | | | |
| | AP | BESCHIASHVILI et al., "Melittin Binding to Mixed Phosphatidylglycerol/Phosphatidylcholine Membranes", <u>Biochemistry</u> , vol.29, pp.52-58, (1990) | | | |
| DL | AQ | BESSALLE et al., "All-D-magainin: chirality, antimicrobial activity and proteolytic resistance", <u>FEBS Letters</u> , vol.274, nos. 1 and 2, pp.151-155, (1990) | | | |
| EXAMINER | David L. Lukan | | | DATE CONSIDERED 6-3-05 | |
| EXAMINER: Initial if reference considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | |

Sheet 2 of 4

| | | | | | |
|---|--|--|--|-------------------------------|--------------------------|
| FORM PTO-1449 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO. SHAI-1 | SERIAL NO. 09/367,714 |
| LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT: SHAI et al. | |
| | | | | FILING DATE: January 14, 2000 | GROUP: 1642 |
| EXAMINER INITIALS | FOREIGN PATENT DOCUMENTS (include at least document number, publication date and country) | | | | |
| AR | BOLEN et al., "Quenching of Tryptophan Fluorescence by Brominated Phospholipid", <u>Biochemistry</u> , vol.29, pp.9638-9643, (1990) | | | | |
| AS | BOMAN, "Peptide Antibiotics and Their Role in Innate Immunity", <u>Annu. Rev. Immunol.</u> , vol.13, pp.61-92, (1995) | | | | |
| AT | CHEN et al., "Synthetic magainin analogues with improved antimicrobial activity", <u>FEBS Letters</u> , vol.236, no.2, pp.462-466, (1988) | | | | |
| AU | CORNUT et al., "Application to the de novo design of ideally amphipathic Leu, Lys peptides with hemolytic activity higher than that of melittin", <u>FEBS Letters</u> , vol.349, pp.29-33, (1994) | | | | |
| AV | DEMPSEY, "The actions of melittin on membranes", <u>Biochem. Biol. Acta.</u> , vol.1031, pp.143-161, (1990) | | | | |
| AW | DHOFLE et al., "-Toxin, Unlike Melittin, has only Hemolytic Activity and no Antimicrobial Activity: Rationalization of this Specific Biological Activity", <u>Bioscience Reports</u> , vol.13, no.4, (1993) | | | | |
| AX | EISENBERG et al., "Analysis of Membrane and surface Protein Sequences with the Hydrophobic Moment Plot", <u>J. Mol. Biol.</u> , vol.179, pp.125-142, (1984) | | | | |
| AY | FISHER et al., "Calmodulin interacts with amphiphilic peptides composed of all D-amino acids", <u>Letters to Nature</u> , vol.368, pp.651-653, (1994) | | | | |
| AZ | GAZIT et al., "Mode of Action of the Antibacterial Cecropin B2: A Spectrofluorometric Study", <u>Biochemistry</u> , vol.33, pp.10681-10692, (1994) | | | | |
| BA | GREENFIELD et al., "Computer Circular Dichroism Spectra for the Evaluation of Protein Conformation", <u>Biochemistry</u> , vol.8, pp.4108-4116, (1969) | | | | |
| BB | HABERMANN et al., "Sequenzanalyse des Melittins aus den tryptischen und peptischen Spaltstücken", <u>Hoppe Seyler's Z. Physiol. Chem.</u> , vol.348, pp.37-50, (1967) | | | | |
| BC | KATCHALSKI et al., "Synthesis and Chemical Properties of Poly- α -Amino Acids", <u>Adv. Protein Chem.</u> , vol.13, pp.243-492, (1958) | | | | |
| BD | KUCHINKA et al., "Interaction of Melittin with Phosphatidylcholine Membranes Binding Isotherm and Lipid Head-Group Conformation", <u>Biochemistry</u> , vol.28, pp.4216-4221, (1989) | | | | |
| BE | LI et al., "Effects on electrophoretic mobility and antibacterial spectrum of removal of two residues from synthetic sarcotoxin IA and addition of the same residues to cecropin B", <u>FEBS Letters</u> , vol.231, no.2, pp.299-302, (1988) | | | | |
| BF | LOEW et al., "Diffusion Potential Cascade. Convenient Detection of Transferable Membrane Pores", <u>Biochemistry</u> , vol.22, pp.837-844, (1983) | | | | |
| BG | MERRIFIELD et al., "Synthesis of Antibacterial Peptides Cecropin A (1-33)", <u>Biochemistry</u> , vol.21, pp.5020-5031, (1982) | | | | |
| BH | MOR et al., "Isolation, Amino Acid Sequence, and Synthesis of Dermaseptin, a Novel Antimicrobial Peptide of Amphibian Skin", <u>Biochemistry</u> , vol.30, pp.8824-8830, (1991) | | | | |
| EXAMINER | David Luster | | | DATE CONSIDERED 6-3-05 | |
| EXAMINER: Initial if reference considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | |

Sheet 3 of 4

| | | | | | |
|---|---|--|--|-------------------------------|--------------------------|
| FORM PTO-1449 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO. SHAI=2 | SERIAL NO. 09/367,714 |
| LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT: SHAI et al. | |
| | | | | FILING DATE: January 14, 2000 | GROUP: 1642 |
| EXAMINER INITIALS | FOREIGN PATENT DOCUMENTS (include at least document number, publication date and country) | | | | |
| DL | BI | OKADA et al., "Mode of action of a bactericidal protein induced in the haemolymph of <i>Sarcophaga peregrina</i> (flesh-fly) larvae", <u>Biochem. J.</u> , vol.222, pp.119-124, (1984) | | | |
| | BJ | OREN et al., "A class of highly potent antibacterial peptides derived from pardaxin a pore-forming peptide isolated from <i>Morone saxatilis</i> fish <i>Pardachirus marmoratus</i> ", <u>Eur. J. Biochem.</u> , vol.237, pp.303-310, (1996) | | | |
| | BK | PAPAHADJOPOULOS et al., "I. Structural Characteristics of Hydrated Liquid Crystals", <u>Biochim. Biophys. Acta</u> , vol.135, pp.624-638, (1967) | | | |
| | BL | PBREZ-PAYA et al., "Determination of the secondary structure of selected melittin analogues with different haemolytic activities", <u>Biochem. J.</u> , vol.299, pp.587-591, (1994) | | | |
| | BM | RAPAPORT et al., "Aggregation and Organization of Pardaxin in Phospholipid Membranes", <u>The Journal of Biological Chemistry</u> , vol.267, no.10, pp.6502-6509 (1992) | | | |
| | BN | RAPAPORT et al., "Interaction of Fluorescently Labeled Pardaxin and Its Analogues with Lipid Bilayers", <u>The Journal of Biological Chemistry</u> , vol.266, no.35, pp.23769-23775, (1991) | | | |
| | BO | RIZZO et al., "Alamethicin Incorporation in Lipid Bilayers: A Thermodynamic Study", <u>Biochemistry</u> , vol.26, pp.2751-2759, (1987) | | | |
| DL | BP | HUNTER et al., "Fifty years of Antimicrobials: Past Perspectives and Future Trends", <u>Cambridge University Press</u> , pp.67-85, (1995) | | | |
| | BQ | SCHWARZ et al., "Incorporation Kinetics in a membrane, studied with the pore-forming peptide alamethicin", <u>Biophys. J.</u> , vol.52, pp.685-692, (1987) | | | |
| | BR | SEGREST et al., "Amphipathic Helix Motif Classes and Properties", <u>PROTEINS: Structure, Function, and Genetics</u> , vol.8, pp.103-117, (1990) | | | |
| | BS | SHAI, "Molecular recognition between membrane-spanning polypeptides", <u>TIBS</u> , vol.20, pp.460-464, (1995) | | | |
| | BT | SHAI, "Pardaxin: channel formation by a shark repellent peptide from fish", <u>Toxicology</u> , vol.87, pp.109-129, (1994) | | | |
| | BU | SHAI et al., "Sequencing and synthesis of pardaxin, a polypeptide from the Red Sea <i>Morone saxatilis</i> with ionophore activity", <u>FEBS Letters</u> , vol.242, no.1, pp.161-166, (1988) | | | |
| | BV | SHAI et al., "pH-dependent Pore Formation Properties of Pardaxin Analogues", <u>The Journal of Biological Chemistry</u> , vol.266, no.33, pp.22346-22354, (1991) | | | |
| | BW | SHAW, "Lipid Composition as a Guide to the Classification of Bacteria", <u>Adv. Appl. Microbiol.</u> , vol.17, pp.63-108, (1974) | | | |
| | EX | SIMS et al., "Studies on the Mechanism by Which Cyanine Dyes Measure Membrane Potential in Red Blood Cells and Phosphatidylcholine Vesicles", <u>Biochemistry</u> , vol.13, no.16, pp.3315-3330, (1974) | | | |
| DL | BY | STEINER et al., "Sequences and specificity of two antibacterial proteins involved in insect immunity", <u>Nature</u> , vol.292, pp.246-248, (1981) | | | |
| EXAMINER | David L. Lister | | | DATE CONSIDERED 6-3-05 | |
| EXAMINER: Initial if reference considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | |

